


A detailed technical drawing of a mechanical assembly, likely a pump or valve, rendered in blue lines on a light background. The drawing shows various components including a central circular chamber, a large flywheel at the bottom, and various pipes and fittings. The drawing is oriented vertically, with the main assembly on the left and the flywheel at the bottom. The text and barcode are overlaid on a semi-transparent grey rectangle in the lower right quadrant.

 **INOXAL**

INOXAL DOO PIROT

T.F. +381 10 344 812

M. +381 63 436 441

E. INOXALPIROT@GMAIL.COM

W. WWW.INOXAL.CO.RS

NADSTREŠNICA

model 101



- 100% inox konstrukcija svih nasih modela osigurava dugovecnost i postojanost
- U izradi koristimo najkvalitetniji inox lim debljine 5mm u kvalitetu C4580 JUS ili 1.403DIN ukljucujuci i sve vijke i ankere
- Precizna izrada pri CNC laserskom secenju garantuje jednostavnu i brzu montazu
- Sve konstrukcije prate i sertifikati o kvalitetu i poreklu materijala
- Pokrivanje obezbedujemo kaljenim staklom debljine 10mm ili kaljeno-laminiranim staklom debljine 6+6mm uporedu vodeci racuna o sigurnosti ljudi
- Osnovni modeli su u ponudi sa dimenzijama 1500x1000mm iako se pravilnom konstrukcijom nosaca i stakla mogu izradjivati po vasim nacrtima



INOXAL

WWW.INOXAL.CO.RS

NADSTREŠNICA

model 102



- 100% inox konstrukcija svih nasih modela osigurava dugovecnost i postojanost
- U izradi koristimo najkvalitetniji inox lim debljine 5mm u kvalitetu C4580 JUS ili 1.403DIN uključujući i sve vijke i ankere
- Precizna izrada pri CNC laserskom secenju garantuje jednostavnu i brzu montazu
- Sve konstrukcije prate i sertifikati o kvalitetu i poreklu materijala
- Pokrivanje obezbeđujemo kaljenim staklom debljine 10mm ili kaljeno-laminiranim staklom debljine 6+6mm uporedu vodeći računa o sigurnosti ljudi
- Osnovni modeli su u ponudi sa dimenzijama 1500x1000mm iako se pravilnom konstrukcijom nosaca i stakla mogu izradjivati po vasiim nacrtima




INOXAL

WWW.INOXAL.CO.RS

NADSTREŠNICA

model 103



- 100% inox konstrukcija svih nasih modela osigurava dugovečnost i postojanost
- U izradi koristimo najkvalitetniji inox lim debljine 5mm u kvalitetu C4580 JUS ili 1.403DIN uključujući i sve vijke i ankere
- Precizna izrada pri CNC laserskom secenju garantuje jednostavnu i brzu montazu
- Sve konstrukcije prate i sertifikati o kvalitetu i poreklu materijala
- Pokrivanje obezbeđujemo kaljenim staklom debljine 10mm ili kaljeno-laminiranim staklom debljine 6+6mm uporedu vodeći računa o sigurnosti ljudi
- Osnovni modeli su u ponudi sa dimenzijama 1500x1000mm iako se pravilnom konstrukcijom nosaca i stakla mogu izradjivati po vasim nacrtima

 **INOXAL**

WWW.INOXAL.CO.RS