


 **INOXAL**

WWW.INOXAL.CO.RS

MODEL 6020-1

**INOX
STUB
OGRADE**



MODEL 6020-2

WWW.INOXAL.CO.RS



MODEL 6020-3

**INOX
STUB
OGRADE**


MODEL 6020-4

WWW.INOXAL.CO.RS



MODEL 6020-5

**INOX
STUB
OGRADE**




MODEL 6020-6

WWW.INOXAL.CO.RS

MODEL 50 1



**INOX
STUB
OGRADE**



MODEL 60 1

WWW.INOXAL.CO.RS

MODEL 502



**INOX
STUB
OGRADE**



MODEL 503

WWW.INOXAL.CO.RS

MODEL 504

**INOX
STUB
OGRADE**



FIKSNI SP-1



FIKSNI SP-2



PODESIVI SP-3

SPAJDER PUNKT NOSACI

WWW.INOXAL.CO.RS

MODEL 100




**INOX
STUB
OGRADE**



MODEL 401

WWW.INOXAL.CO.RS

MODEL 300



**INOX
STUB
OGRADE**



MODEL 402

WWW.INOXAL.CO.RS

MODEL 2018-1




**INOX
STUB
OGRADE**



WWW.INOXAL.CO.RS

MODEL 2018-1



STUBOVI:

Visina 1000mm

Cev f42.4mm,

Ispuna: f16mm/f12mm

RUKOHVAT:

f48.3mm/f42.4mm

METODA FIKSIRANJA:

Čeono 3 vijka

Bočno 2 vijka

KVALITET:

AISI 304 Nerđajući čelik

ZAVRŠNA OBRADA:

Brušeni / satinirani



MODEL 2018-2



**INOX
STUB
OGRADE**



WWW.INOXAL.CO.RS

MODEL 2018-2



STUBOVI:

Visina 1000mm

RUKOHVAT:

Cev 40x40mm/50x30mm,

METODA FIKSIRANJA:

Ispuna: f16mm/f12mm

f48.3mm/f42.4mm/40x40mm

KVALITET:

Čeono 4 vijka

Bočno 2 vijka

ZAVRŠNA OBRADA:

AISI 304 Nerđajući čelik


Brušeni / satinirani



MODEL 2018-3



**INOX
STUB
OGRADE**



WWW.INOXAL.CO.RS

MODEL 2018-3

STUBOVI:

Visina 1000mm

Cev f42.4mm,

Ispuna: Staklo 8mm/10mm/12mm

RUKOHVAT:

f48.3mm/f42.4mm

METODA FIKSIRANJA:

Čeono 3 vijka

Bočno 2 vijka

KVALITET:

AISI 304 Nerđajući čelik

ZAVRŠNA OBRADA:

Brušeni / satinirani



MODEL 2018-5



STUBOVI:

Visina 400/250mm

METODA FIKSIRANJA:

Čeono 4 vijka

DEBLJINA STAKLA:


8-16mm

KVALITET:

AISI 304 Nerdajući čelik

ZAVRŠNA OBRADA:

Brušeni / satinirani



WWW.INOXAL.CO.RS

MODEL 2018-6



STUBOVI:

Visina 400/250mm

METODA FIKSIRANJA:

Čeono 4 vijka

DEBLJINA STAKLA:

8-16mm

KVALITET:

AISI 304 Nerdajući čelik

ZAVRŠNA OBRADA:

Brušeni / satinirani



WWW.INOXAL.CO.RS

MODEL 2018-7



STUBOVI:

Visina 200mm

METODA FIKSIRANJA:

Čeono 4 vijka

DEBLJINA STAKLA:

8-16mm

KVALITET:

AISI 304 Nerdajući čelik

ZAVRŠNA OBRADA:

Brušeni / satinirani



WWW.INOXAL.CO.RS

MODEL 2018-8



STUBOVI:

Visina 400mm

METODA FIKSIRANJA:

Bočno 2 vijka

DEBLJINA STAKLA:


8-16mm

KVALITET:

AISI 304 Nerdajući čelik


ZAVRŠNA OBRADA:

Brušeni / satinirani



MODEL 2018-9

WWW.INOXAL.CO.RS



WWW.INOXAL.CO.RS

WWW.INOXAL.CO.RS